Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	magneto$1resist$3 and (fin blade) and turbo$ and bias near3 magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 13:55
S2	2	magneto$1resist$3 and (fin blade impeller) and turbo$ and bias near3 magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 13:55
S3	11	magneto$1resist$3 and (fin blade impeller) and bias near3 magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 13:56
S4	4	magneto$1resist$3 and (fin blade impeller) and (turbo$1charger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 13:57
S5	2	magneto$1resist$3 and (fin blade impeller) and (compress$3 near3 wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 13:58
S6	9	Stolfus-Joel-D.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:53
S7	8	Busch-Nicholas-F.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:00
S8	13398	turbo$1charger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:00
S9	10	S8 and (GMR AMR magneto$1resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:06

S10	3	"19623236"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:32
S11	3	BEHRENS-HANS-PETER-DIPL-ING.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:16
S12	1	BEHRENS-HANS-PETER.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:16
S13	5035	turbocharger.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:16
S14	4	S13 and magneto$1resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:17
S15	12	S13 and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:17
S16	1	MAURER-OTTO-DIPL-PHYS-DR-RER-N. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 15:32
S18	2	MAURER-OTTO.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33
S19	24118	(fin blade impeller) near3 wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33

S20	22	S19 and magneto$1resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:35
S21	10	"4992730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:36
S22	5	324/164.ccls. and (blade fin impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:38
S23	1	S22 and hall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:39
S24	142	(324/2$.ccls. 324/160-180.ccls.) and (blade fin impeller) and (hall magneto$1resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:40
S25	31	S24 and (turbine turbo$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:40
S26	14	S25 and magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:59
S27	5	S26 and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 14:40
S28	28	position near3 (blade fin impeller compress$3 near3 wheel) and magneto$1resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:09

S29	189	324/160-180.ccls. and (turbo$ turbine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:01
S30	7	S29 and (magneto adj resist$3 magnetoresist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:10
S31	9	S29 and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 23:00
S32	54	("3636767").URPN.	USPAT	OR	ON	2005/05/29 15:05
S33	17	S32 and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:37
S34	2	S33 and (fin blade impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:09
S35	3014	(turbine turbo$) and compress$3 near3 wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:11
S36	6	S35 and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:11
S37	40	324/174.ccls. and (turbine turbo$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:12
S38	19	"4967153"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:48

S39	14	("3058339" | "3065412" | "3467358" | "3530323" | "3896608" | "3932813" | "4153388" | "4326804" | "4439228" | "4518917").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 15:36
S40	13057	turbocharger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:49
S41	8	S40 and compress$3 near3 ("not" non adj (ferrous magnetic ferromagnet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 15:51
S42	8	S40 and (compress$3 turbine) near3 ("not" non adj (ferrous magnetic ferromagnet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:07
S44	7	compressor near3 wheel and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:38
S45	7	compressor near3 (wheel impeller) and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:34
S46	118	compressor near3 (wheel impeller) and (hall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:41
S47	1	("not" non) near3 (ferrous iron ferr$3 ferromagnet$2 magnetic) near3 compressor near3 (wheel impeller) and (hall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:40
S48	18	S46 and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:40

S49	7	compressor near3 (wheel impeller) and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 16:41
S50	22	("4279576").URPN.	USPAT	OR	ON	2005/05/29 16:43
S51	16	("4967153").URPN.	USPAT	OR	ON	2005/05/29 17:07
S52	26	(signal pulse) near3 (hall magneto$1resist$3 eddy) with divi$5 and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:16
S53	174	(signal pulse) near3 (hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) with divi$5 and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:17
S54	266	(signal pulse voltage output) near3 (hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) with divi$5 and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:19
S55	5	(signal pulse voltage output) near3 (hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) with divi$3 with rate and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:21
S56	245	(signal pulse voltage output) near3 (hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) same divi$3 near3 (rate pulse output signal voltage) and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:24
S58	19	(hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) same pulse near3 divider and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:27
S59	25	(hall magneto$1resist$3 eddy sensor magnet$3 near3 resist$3) with (pulse signal) near3 divider and (324/2$.ccls. 324/160-180.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:34
S60	29	(compressor turbine) near3 (wheel impeller) and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:35

S61	46	compressor same (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:39
S62	11	"6247900"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:40
S63	35	"4972332"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:44
S64	10	"4992730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:44
S65	7	turbocharger and magneto$1resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:34
S66	19	compressor same (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3) same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:04
S67	231	turbocharger and hall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 17:59
S68	39	S67 and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:03
S71	20	compressor and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3) and "324".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:12

S72	2	"6707297"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:12
S73	14	("4048558" | "4414508" | "4468620" | "4644274" | "4929896" | "5015950" | "5140264" | "5152058" | "5391988" | "5442285" | "5442286" | "5781007" | "6037768" | "6534975").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 18:14
S74	355	(turbine compressor turbocharger) same (blade fin foil airfoil impeller) and "324". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 18:14
S75	362	(turbine compressor turbocharger) same (blade fin foil airfoil impeller) and "324". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:42
S76	30	S75 and (magneto$1resist$3 magnet$2 near3 resist$3 resist$3 near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:15
S77	6	(turbine compressor turbocharger) with (aluminum ferrous ferromagnet$2) same (blade fin foil airfoil impeller) and (magneto adj resist$3 magnetoresist$3 magnet$2 near3 resist$3 resist$3 near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:35
S78	0	("6117697").URPN.	USPAT	OR	ON	2005/05/29 18:29
S88	940	(turbine compressor turbo$) and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3 gmr amr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 22:29
S89	297	S88 and aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:40
S90	3	S89 and bias near3 magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:41

S91	7	S88 and bias near3 magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:41
S92	397	(turbine compressor turbocharger) same (blade fin foil airfoil impeller vane propeller) and "324".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:43
S93	23	S92 and (magneto adj resist$3 magnetoresist$3 magnet$3 near3 resist$3 gmr amr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:46
S94	10	"3130338"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:48
S95	16	"1801421"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:48
S96	11	"5325729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:50
S97	25	"3058339"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 18:50
S98	3	gmr and bias near3 magnet and (turbine compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:05
S99	14	gmr and bias near3 magnet and (teeth fin blade vane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:05

S100	14	gmr and bias near3 magnet and (teeth fin blade vane impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:07
S101	78	magneto$1resist$3 and bias near3 magnet and (teeth fin blade vane impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:11
S102	3	"6513396"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:11
S103	8	("3611417" | "4607305" | "4725776" | "4933580" | "5301559" | "5351555" | "5442966" | "5850045").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 19:21
S104	23	"4279576"	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 19:25
S106	1	magnet and magneto$1resist$3 same thread$3 same screw$3 same housing and (turbine compress$3 turbo$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 20:12
S107	3030	G01P003/488.IPC.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:38
S108	347	S107 and "324".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:30
S109	11	S108 and (blade vane fin impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:33
S110	31	S107 and (blade vane fin impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 19:38

S111	20	S110 not S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:33
S112	730	G01P003/46.IPC.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:38
S113	8	S112 and (blade vane fin impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:38
S114	17224	(G01P003/4$.IPC.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:38
S115	279	S114 and (blade vane fin impeller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:38
S116	83	S115 and (turbine turbo$ compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:54
S117	2	"6850054"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 19:54
S118	3	("5187989" | "6388405" | "6734666").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 20:08
S119	10	"4482859"	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/29 20:08
S120	2	magnet and magneto$1resist$3 same thread$3 same screw$3 same housing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:14

S121	2746	magnet and (coil eddy) same thread$3 same screw$3 same housing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:14
S122	62	magnet and (coil eddy) same thread$3 same screw$3 same housing same (turbine turbo$ compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:15
S123	357	magnet and (coil eddy) same thread$3 same screw$3 and (turbine turbo$ compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:16
S124	240	magnet and (coil eddy) same thread$3 same (cas$3 hous$3) same screw$3 and (turbine turbo$ compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:17
S125	92	magnet and (coil eddy) with (cas$3 hous$3) same thread$3 same screw$3 and (turbine turbo$ compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:54
S126	353	magneto$1 resist$3 with induct$3 near3 resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:55
S127	414	magneto$1 resist$3 near3 induct$3 near3 resist$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:57
S128	28	S127 and 324/2$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/29 20:55
S130	905	324/174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:26

S131	115	324/164.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:39
S132	2	324/160-180.ccls. and magnet same (magneto$1resist$3 magnet$2 near3 resist$3) same thread$3 same (hous$3 cas$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:43
S133	2	324/160-180.ccls. and magnet same (magneto$1resist$3 magnet$2 near3 resist$3) same screw$3 same (hous$3 cas$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:43
S134	34	324/160-180.ccls. and magnet same (magneto$1resist$3 magnet$2 near3 resist$3) same (hous$3 cas$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:47
S135	7	S134 and thread$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:44
S136	227	324/179.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:54
S137	8	324/173,174.ccls. and magnet same (magneto$1resist$3 magnet$2 near3 resist$3) and housing with (thread$3 screw$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:56
S138	343	324/173,174.ccls. and (screw$3 thread$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 19:56
S139	43	S138 and (MR magneto$1resist$3 magnet$2 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 21:21

S141	2	((gmr giant) with (amr anisotropic) with magneto$1resist$3 with hall) and 324/164, 174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 20:11
S142	8	((gmr giant) with (amr anisotropic) with magneto$1resist$3 with hall) and 324/207. 25,164,174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 20:16
S143	15	((gmr giant) and (amr anisotropic) and magneto$1resist$3 and hall) and 324/207. 25,164,174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 20:19
S144	67	((gmr giant) and (amr anisotropic) and magneto$1resist$3 and hall) and 324/2$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 20:19
S145	70	((gmr giant) and (amr anisotropic) and magneto$1resist$3 and hall) and 324/2$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 20:19
S146	27	permanent adj magnet and (magneto$1resist$3 magnet$2 near3 resist$3) and screw with (hous$3 cas$3 flang$3) and 324/2$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:26
S147	10	permanent adj magnet and (magneto$1resist$3 magnet$2 near3 resist$3) and screw with (hous$3 cas$3 flang$3) and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:26
S148	6	permanent adj magnet and (magneto$1resist$3 magnet$2 near3 resist$3) and screw same (hous$3 cas$3 flang$3) and 324/174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:27
S149	8	permanent adj magnet and (magneto$1resist$3 magnet$2 near3 resist$3) and screw same (hous$3 cas$3 flang$3) and 324/17$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:36

S150	8	("4967153"|"4992730"|"5367257"|"5596272").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:38
S152	194	(324/2$.ccls. 324/160-180.ccls.) and (external$3 outside) near3 thread$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 21:39
S153	8	S152 and (magneto$1resist$3 magnet$2 near3 resist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 22:43
S154	10	(stor$3) with maximum with speed and 324/173,174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:53
S161	42	(stor$3) with maximum with speed and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:53
S162	26	(stor$3) with maximum near3 speed and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:53
S163	14	(stor$3) near3 maximum near3 speed and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:54
S164	2	(stor$3) near3 maximum near3 speed same (sensor hall magneto$1resist$3 magnet$2 near3 resist$3) and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:54
S165	1	(stor$3) near3 maximum near3 speed same (sensor hall magneto$1resist$3 magnet$2 near3 resist$3) and 324/2$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 23:55

S166	1	(stor$3) near3 maximum near3 (speed velocity) same (sensor hall magneto$1resist$3 magnet$2 near3 resist$3) and 324/2$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 23:55
S167	2	(stor$3) near3 maximum near3 (speed velocity) same (sensor hall magneto$1resist$3 magnet$2 near3 resist$3) and 324/1$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/30 23:55
S168	46	"4551715"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/31 07:00
S169	27	S168 and stor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/31 07:06
S170	1694	324/164,173,174,179.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/31 07:19